


ESSENCE SCREEN 1%, 3% & 5%


An array of soft and natural color tones adds a sense of serenity giving your interior style a feeling of comfort. With different openness factors available and also the peace of mind of the inherent flame retardant and anti-microbial finish, you can take complete control of the light and the safety in every window.

TRANSPARENT



GENERAL INFORMATION

Number of Colors	3 x 10		
Material Composition	30% Polyester / 70% PVC		
Openness Factor	1%	3%	5%
Thickness (+/- 5%)	0,69 mm	0,60 mm	0,55 mm
	0.0272 in	0.0236 in	0.0217 in
Weight (+/- 5%)	500 gr/m²	460 gr/m²	420 gr/m²
	17.63 oz/yd²	13.57 oz/yd²	12.39 oz/yd²
Width	200* / 300 cm		78.00* / 118.00 in
Roll Length	30 m		32.81 yd



SPECIAL VALUES

Color Fastness to Light	8 (DIN ISO 105-B02)				
Flame Retardancy	DIN 4102 B1 / EN 13773-1/NFPA-701, California U.S. Title 19 / CAN ULC-S109-03	Yarn Count	1%	44/inch	62/inch
Fungal Resistance	Yes (ASTM G21-15)		3%	46/inch	52/inch
Antimicrobial	Yes (ASTM E2149)		5%	48/inch	48/inch
Humid Environment	Yes				
Suitable for Workstations	Yes				
Abrasion Resistance	> 10,000 (ASTM D4060)				
Manufacturing Procedure	Cold Cut / Ultrasonic Cutting				
Care Instructions	Damp Cloth				

SUITABLE FOR



Roller



Roman



Panel



Vertical



Skylight


CARE & HANDLING

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.




The technical data above are average values with a +/- 5% tolerance. The values quotes above represent results of standards and internal tests performed and are provided for information only to enable to make the best use of our products. To ensure warranty effectiveness, refer to warranty certificate concerned available on demand. Our products are subjects to technical evolutions, we remain entitled to modify the characteristics of our products at any time. The buyer of our products is responsible for checking the validity of the above data.


COLORS




E1-000-300 / ...-200*
E3-000-300 / ...-200*
E5-000-300 / ...-200*
Ice White



E1-001-300 / ...-200*
E3-001-300 / ...-200*
E5-001-300 / ...-200*
White




E1-002-300 / ...-200*
E3-002-300 / ...-200*
E5-002-300 / ...-200*
Ivory




E1-003-300 / ...-200*
E3-003-300 / ...-200*
E5-003-300 / ...-200*
white/gray




E1-004-300 / ...-200*
E3-004-300 / ...-200*
E5-004-300 / ...-200*
Alabaster




E1-005-300 / ...-200*
E3-005-300 / ...-200*
E5-005-300 / ...-200*
light gray



E1-006-300 / ...-200*
E3-006-300 / ...-200*
E5-006-300 / ...-200*
Gray



E1-008-300 / ...-200*
E3-008-300 / ...-200*
E5-008-300 / ...-200*
Black/ Brown



E1-010-300 / ...-200*
E3-010-300 / ...-200*
E5-010-300 / ...-200*
black/gray



E1-011-300
E3-011-300
E5-011-300
black

Scan the QR-code for more information



Essence Screen 1%



Essence Screen 3%



Essence Screen 5%